



INDEX

<u>Metal Bed Frames With Wooden Slats</u>	3-37
<u>Metal Bed Frames With Profile Slats</u>	38-42
<u>Metal Daybeds With Wooden Slats</u>	43-49
<u>Metal Daybeds With Profile Slats</u>	50-62
<u>Metal Trundle Daybeds With Profile Slats</u>	63-75
<u>Metal Bunk Bed</u>	76-82
<u>Metal Baby Crip</u>	83-85
<u>Adjustable Boxspring</u>	86-88
<u>Balcony and Terrace Furniture</u>	89-96




About Us

Unimet Metal is engaged in manufacturing since 2005 based on the requirements of industry, combines quality and comfort and develops its innovative design according to different tastes.

From the fact that an individual spends most of its time sleeping, Unimet adds aesthetics to the comfort of sleep. It aims at raising the standards through a wide range of bedsteads, marketing approach and experience in the industry. Unimet provides the different without compromising the quality and has followed a stable process since it first put its products on the international markets. Unimet is very sensitive to the consumer demands, thus, it takes firm steps.

Unimet is proud to offer its customer satisfaction-oriented and innovative products to you valuable consumers based on a catchword **“We don’t speak about but produce the quality”**.



METAL BED FRAMES WITH WOODEN SLATS



Most frequent complains about metal bedsteads-sofa daybed-bunk etc.
are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement.
As is not screw or slide linking system on Unimet products, 'tapered passing system' is used.
This is a system that widening from bottom to the up and tapered top lock connection on top.
As it makes it so easy product assembly, and the link between pieces of furniture is becoming
more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-1864	
90x190	494	Under Bed Platform	Wooden Lath (Curved)
90x200	494	Headboard Profiles	Ø38*1,2 mm Tubes
120x200	390	Footboard Profiles	Ø38*1,2 mm Tubes
140x190	300	Side Rails	Sheet Metal-1,5mm
140x200	300	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	-	Paint	Electrostatic Powder Coating
160x200	269	Package Quantity	2
180x200	244	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-1864.03	
90x190	504	Under Bed Platform	Wooden Lath (Curved)
90x200	504	Headboard Profiles	Ø38*1,2 mm Tubes
120x200	398	Footboard Profiles	Ø38*1,2 mm Tubes
140x190	306	Side Rails	Sheet Metal-1,5mm
140x200	306	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	-	Paint	Electrostatic Powder Coating
160x200	275	Package Quantity	2
180x200	249	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-711	
90x190	434	Under Bed Platform	Wooden Lath (Curved)
90x200	434	Headboard Profiles	40*40*1mm
120x200	348	Footboard Profiles	40*40*1mm
140x190	308	Side Rails	Sheet Metal-1,5mm
140x200	308	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	276	Paint	Electrostatic Powder Coating
160x200	276	Package Quantity	2
180x200	250	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-270	
90x190	517	Under Bed Platform	Wooden Lath (Curved)
90x200	517	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	444	Footboard Profiles	Ø42*1,2 mm Tubes
140x190	394	Side Rails	Sheet Metal-1,5mm
140x200	394	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	373	Paint	Electrostatic Powder Coating
160x200	355	Package Quantity	2
180x200	322	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-270.03	
90x190	517	Under Bed Platform	Wooden Lath (Curved)
90x200	517	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	444	Footboard Rails	Sheet Metal-1,5mm
140x190	394	Side Rails	Sheet Metal-1,5mm
140x200	394	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	373	Paint	Electrostatic Powder Coating
160x200	355	Package Quantity	2
180x200	322	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-320	
90x190	692	Under Bed Platform	Wooden Lath (Curved)
90x200	692	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	563	Footboard Rails	Sheet Metal-1,5mm
140x190	500	Side Rails	Sheet Metal-1,5mm
140x200	500	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	474	Paint	Electrostatic Powder Coating
160x200	450	Package Quantity	2
180x200	409	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-320.03	
90x190	589	Under Bed Platform	Wooden Lath (Curved)
90x200	589	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	478	Footboard Rails	Sheet Metal-1,5mm
140x190	425	Side Rails	Sheet Metal-1,5mm
140x200	425	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	403	Paint	Electrostatic Powder Coating
160x200	383	Package Quantity	2
180x200	348	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-280	
90x190	403	Under Bed Platform	Wooden Lath (Curved)
90x200	403	Headboard Profiles	Ø76*1,2 mm Tubes
120x200	323	Footboard Profiles	Ø76*1,2 mm Tubes
140x190	285	Side Rails	Sheet Metal-1,5mm
140x200	285	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	255	Paint	Electrostatic Powder Coating
160x200	255	Package Quantity	2
180x200	231	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-280.03	
90x190	403	Under Bed Platform	Wooden Lath (Curved)
90x200	403	Headboard Profiles	Ø76*1,2 mm Tubes
120x200	323	Footboard Rails	Sheet Metal-1,5mm
140x190	285	Side Rails	Sheet Metal-1,5mm
140x200	285	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	255	Paint	Electrostatic Powder Coating
160x200	255	Package Quantity	2
180x200	231	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

713.03T



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-713-03T	
90x190	479	Under Bed Platform	Wooden Lath (Curved)
90x200	479	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	386	Footboard Rails	Sheet Metal-1,5mm
140x190	342	Side Rails	Sheet Metal-1,5mm
140x200	342	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	323	Paint	Electrostatic Powder Coating
160x200	307	Package Quantity	2
180x200	278	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-713	
90x190	589	Under Bed Platform	Wooden Lath (Curved)
90x200	589	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	478	Footboard Profiles	Ø42*1,2 mm Tubes
140x190	425	Side Rails	Sheet Metal-1,5mm
140x200	425	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	403	Paint	Electrostatic Powder Coating
160x200	383	Package Quantity	2
180x200	348	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



713.03

Size (cm)	40 HC ctr/pcs +/-%5	MODEL-713.03	
90x190	589	Under Bed Platform	Wooden Lath (Curved)
90x200	589	Headboard Profiles	Ø42*1,2 mm Tubes
120x200	478	Footboard Rails	Sheet Metal-1,5mm
140x190	425	Side Rails	Sheet Metal-1,5mm
140x200	425	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	403	Paint	Electrostatic Powder Coating
160x200	383	Package Quantity	2
180x200	348	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-292	
90x190	403	Under Bed Platform	Wooden Lath (Curved)
90x200	403	Headboard Profiles	Ø76*1,2 mm Tubes
120x200	323	Footboard Profiles	Ø76*1,2 mm Tubes
140x190	285	Side Rails	Sheet Metal-1,5mm
140x200	285	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	255	Paint	Electrostatic Powder Coating
160x200	255	Package Quantity	2
180x200	231	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-292.03	
90x190	403	Under Bed Platform	Wooden Lath (Curved)
90x200	403	Headboard Profiles	Ø76*1,2 mm Tubes
120x200	323	Footboard Rails	Sheet Metal-1,5mm
140x190	285	Side Rails	Sheet Metal-1,5mm
140x200	285	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	255	Paint	Electrostatic Powder Coating
160x200	255	Package Quantity	2
180x200	231	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-793	
90x190	668	Under Bed Platform	Wooden Lath (Curved)
90x200	668	Headboard Rails	Sheet Metal-1,5mm - Foot Tubes 1,5 mm
120x200	546	Footboard Rails	Sheet Metal-1,5mm - Foot Tubes 1,5 mm
140x190	487	Side Rails	Sheet Metal-1,5mm
140x200	487	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	462	Paint	Electrostatic Powder Coating
160x200	440	Package Quantity	2
180x200	400	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-440	
90x190	462	Under Bed Platform	Wooden Lath (Curved)
90x200	462	Headboard Profiles	40*40*1mm
120x200	366	Footboard Profiles	40*40*1mm
140x190	306	Side Rails	Sheet Metal-1,5mm
140x200	306	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	289	Paint	Electrostatic Powder Coating
160x200	274	Package Quantity	2
180x200	248	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-400-M	
90x190	-	Under Bed Platform	Wooden Lath (Curved)
90x200	-	Headboard Profiles	40*40*1mm (Wood:Mdf)
120x200	348	Footboard Profiles	40*40*1mm (Wood:Mdf)
140x190	308	Side Rails	Sheet Metal-1,5mm
140x200	308	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
150x200	276	Paint	Electrostatic Powder Coating
160x200	276	Package Quantity	2
180x200	250	Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

METAL BED FRAMES WITH PROFILE SLATS





Size (cm)	40 HC ctr/pcs +-%5	MODEL-355	
90x190	1380	Under Bed Platform	Metal Slats
90x200	1300	Headboard Profiles	40*40*1 mm
100x200	-	Footboard Profiles	40*40*1 mm
120x200	950	Side Rails	20*60*1 mm
140x190	-	Metal Slats	15*25*0,8 mm - 9 pcs
140x200	-	Paint	Electrostatic Powder Coating
150x200	-	Package Quantity	2
160x200	700	Assembly	Allen Screw

Bubble wrap is used for packaging.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-40	
90x190	1380	Under Bed Platform	Metal Slats
90x200	1300	Headboard Profiles	40*40*1 mm
100x200	-	Footboard Profiles	40*40*1 mm
120x200	950	Side Rails	20*60*1 mm
140x190	-	Metal Slats	15*25*0,8 mm - 9 pcs
140x200	-	Paint	Electrostatic Powder Coating
150x200	-	Package Quantity	2
160x200	700	Assembly	Allen Screw

Bubble wrap is used for packaging.

METAL DAYBEDS WITH WOODEN SLATS



Most frequent complains about metal bedsteads-sofa daybed-bunk etc.
are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement.
As is not screw or slide linking system on Unimet products, 'tapered passing system' is used.
This is a system that widing from bottom to the up and tapered top lock connection on top.
As it makes it so easy product assembly, and the link between pieces of furniture is becoming
more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-320-D	
70x200	273	Under Bed Platform	Wooden Lath (Curved)
		Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	Ø42*1,2 mm Tubes
		Side Rails	Sheet Metal-1,5mm
90x200	216	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - No Screw etc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-280-D	
70x200	273	Headboard & Footboard Profiles	Ø76*1,2 mm Tubes
		Bed Frame Back Profiles	Ø76*1,2 mm Tubes
		Side Rails	Sheet Metal-1,5mm
		Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
90x200	213	Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-325	
70x200	273	Under Bed Platform	Wooden Lath (Curved)
		Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	Ø42*1,2 mm Tubes
		Side Rails	Sheet Metal-1,5mm
90x200	216	Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 4 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

METAL DAYBEDS WITH PROFILE SLATS



Most frequent complains about metal bedsteads-sofa daybed-bunk etc.
are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement.
As is not screw or slide linking system on Unimet products, 'tapered passing system' is used.
This is a system that widing from bottom to the up and tapered top lock connection on top.
As it makes it so easy product assembly, and the link between pieces of furniture is becoming
more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-130-D	
70x200	-	Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	Ø42*1,2 mm Tubes
		Side Rails	20*50*1,2 mm
90x200	214	Metal Slats	15*25*0,8 mm - 9 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

350-D



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-350-D	
90x190	251	Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	Ø42*1,2 mm Tubes
		Side Rails	20*50*1,2 mm
90x200	214	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/- %5	MODEL-401-D	
90x190	-	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	40*40*1 mm
		Bed Frame Back Profiles	40*40*1 mm
		Side Rails	20*50*1,2 mm
90x200	216	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.




Size (cm)	40 HC ctr/pcs +/-%5	MODEL-402-D	
90x190	253	Headboard & Footboard Profiles	20*30*1 mm
		Bed Frame Back Profiles	20*30*1 mm
		Side Rails	20*50*1,2 mm
90x200	253	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-355-D	
		90x190	1180
Headboard & Footboard Profiles	40*40*1 mm		
Bed Frame Back Profiles	40*40*1 mm		
Side Rails	20*60*1 mm		
90x200	1000	Metal Slats	15*25*0,8 mm - 9 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Allen Screw

Bubble wrap is used for packaging.



Size (cm)	40 HC ctr/pcs +/- %5	MODEL-45	
90x190	1080	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	40*40*1 mm
		Bed Frame Back Profiles	40*40*1 mm
		Side Rails	20*60*1 mm
90x200	1080	Metal Slats	15*25*0,8 mm - 9 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Allen Screw

Bubble wrap is used for packaging.

METAL TRUNDLE DAYBEDS WITH PROFILE SLATS



Most frequent complains about metal bedsteads-sofa daybed-bunk etc.
are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement.
As is not screw or slide linking system on Unimet products, 'tapered passing system' is used.
This is a system that widening from bottom to the up and tapered top lock connection on top.
As it makes it so easy product assembly, and the link between pieces of furniture is becoming
more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-5	MODEL-130-DY	
80x190 90x190	-	Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	Ø42*1,2 mm Tubes
		Side Rails	20*50*1,2 mm
		Metal Slats	15*25*0,8 mm - 9 pcs
80x200 90x200	128	Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs + ⁻ 0/5	MODEL-401-DY	
		80x190 90x190	142
Headboard & Footboard Profiles	40*40*1 mm		
Bed Frame Back Profiles	40*40*1 mm		
Side Rails	20*50*1,2 mm		
80x200 90x200	142	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-402-DY	
80x190 90x190	142	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	20*30*1 mm
		Bed Frame Back Profiles	20*30*1 mm
		Side Rails	20*50*1,2 mm
80x200 90x200	142	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-0/5	MODEL-322	
80x190 90x190	-	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Bed Frame Back Profiles	20*30*1 mm
		Side Rails	20*50*1,2 mm
80x200 90x200	142	Metal Slats	20*20*0,9 mm - 14 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +-%5	MODEL-45-DY	
80x190 90x190	720	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	40*40*1 mm
		Bed Frame Back Profiles	40*40*1 mm
		Side Rails	20*60*1 mm
80x200 90x200	720	Metal Slats	15*25*0,8 mm - 9 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Allen Screw

Bubble wrap is used for packaging.



Size (cm)	40 HC ctr/pcs +-%5	MODEL-40-YK	
80x190 90x190	810	Under Bed Platform	Metal Slats
		Headboard & Footboard Profiles	40*40*1 mm
		Bed Frame Back Profiles	40*40*1 mm
		Side Rails	20*60*1 mm
80x200 90x200	810	Metal Slats	15*25*0,8 mm - 9 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	3
		Assembly	Allen Screw

Bubble wrap is used for packaging.

METAL BUNKBED



Most frequent complains about metal bedsteads-sofa daybed-bunk etc.
are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement.
As is not screw or slide linking system on Unimet products, 'tapered passing system' is used.
This is a system that widing from bottom to the up and tapered top lock connection on top.
As it makes it so easy product assembly, and the link between pieces of furniture is becoming
more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-335	
		90x190	206
Headboard & Footboard Profiles	Ø42*1,2 mm Tubes		
Stairs and Railings	Ø28*1 mm Tubes & Ø21*1 mm Tubes		
Side Rails	Sheet Metal-1,5mm		
90x200	194	Wooden & Metal Slats	Wooden Lath:9 mm - 13 pcs*2 Oval Profile: 20*50*1,5 mm - 4 pcs*2
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +-%5	MODEL-771	
		90x190	275
Headboard & Footboard Profiles	40*40*1 mm		
Stairs and Railings	20*20*1 mm		
Side Rails	20*50*1,2 mm		
90x200	260	Metal Slats	20*20*1 mm - 14 pcs*2
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-770	
		90x190	275
Headboard & Footboard Profiles	Ø42*1,2 mm Tubes		
Stairs and Railings	Ø21*1 mm Tubes		
Side Rails	20*50*1,2 mm		
90x200	260	Metal Slats	20*20*1 mm - 14 pcs*2
		Paint	Electrostatic Powder Coating
		Package Quantity	2
		Assembly	Allen Screw

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

METAL BABY CRIP



Most frequent complains about metal bedsteads-sofa daybed-bunk etc. are squeaking and squeaking noise by the time.

Screw link system or slide connection system are used mostly for this products.

After some time there may be squeaking and noise issues occur with a affect of movement. As is not screw or slide linking system on Unimet products, 'tapered passing system' is used. This is a system that widing from bottom to the up and tapered top lock connection on top. As it makes it so easy product assembly, and the link between pieces of furniture is becoming more stronger at the same time.

All these, eliminate squeaking and noises issues easily.

Main lifter sheets are twisted side sheet's traverses.



Size (cm)	40 HC ctr/pcs +/-%5	MODEL-324	
70x140	296	Under Bed Platform	Wooden Lath (Curved)
		Headboard & Footboard Profiles	Ø42*1,2 mm Tubes
		Railings	Ø21*1 mm Tubes
		Side Rails	Sheet Metal-1,5mm
		Wooden & Metal Slats	Wooden Lath: 9 mm Oval Profile: 3 pcs
		Paint	Electrostatic Powder Coating
		Package Quantity	1
		Assembly	Tapared Insert System - No Screw atc.

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.

ADJUSTABLE BOXSPRING






MODEL 321

Storage space is available
5 Zone Pocket Spring Systems are used
22 Dns High Quality Foam
Special Interno Base Linen Fabric
Knitted Bed Fabric
Electro Static Painted Metal Frame
There is a topper in 6 cm thick and made of 22 Dns sponge on the mattress to
improve the comfort
18 mm MDF is used under the mechanism
Motor:6500 N
Each independent zone has a carrying capacity of 250 kg. it has 3 separate
mobility as back, calf and foot zone. The back can move 70 degrees.

Size (cm)	40 HC ctr/pcs
90x200	56
100x200	50
140x200	36
160x200	31
180x200	28
200x200	25

BALCONY AND TERRACE FURNITURE





MODEL-830-S

cushion features: 1st class fabric cover. Wipeable fabric. Suitable for outdoor use. Uv index is 4-5 (sun resistant) has water repellency. 28 dns flexi sponge is used in the cushions. Bottom cushion thickness is 14 cm. Back cushion thickness is 12 cm. Back cushion hardness degree (medium hard) bottom cushion sponge hardness degree flexi (medium firmness)

**Assembly: Tapared Insert System. Only 4 pcs allen screw.
session dimensions: 70x140 cm for doubles, 70x200 cm for triples**

**Under Cushion Platform: Wooden Lath (Curved)
Profiles: Ø76*1,2 mm Tubes
Rails: Sheet Metal-1,5mm**

Size (cm)	40 HC ctr/pcs +-%5
70x140	290
70x200	220

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



MODEL-810-S

cushion features: 1st class fabric cover. Wipeable fabric. Suitable for outdoor use. Uv index is 4-5 (sun resistant) has water repellency. 28 dns flexi sponge is used in the cushions. Bottom cushion thickness is 14 cm. Back cushion thickness is 12 cm. Back cushion hardness degree (medium hard) bottom cushion sponge hardness degree flexi (medium firmness)

There is no need for tools such as screws etc. for seat installations. Tapared Insert System.

session dimensions: 70x140 cm for doubles, 70x200 cm for triples

Under Cushion Platform: Wooden Lath (Curved)

Profiles: Ø42*1,2 mm Tubes

Rails: Sheet Metal-1,5mm

Size (cm)	40 HC ctr/pcs +-%5
70x140	390
70x200	285

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



900-S



MODEL-900-S

cushion features: 1st class fabric cover. Wipeable fabric. Suitable for outdoor use. Uv index is 4-5 (sun resistant) has water repellency. 22 dns flexi sponge is used in the cushions. Bottom cushion thickness is 10 cm. Back cushion thickness is 10 cm. Back cushion hardness degree (medium hard) bottom cushion sponge hardness degree flexi (medium firmness)

There is no need for tools such as screws etc. for seat installations. foldable system.

session dimensions: 50x130

Under Cushion Platform: Profile

Size (cm)	40 HC ctr/pcs +-%5
50x130	480

The bed frames are individually wrapped in 120-micron nylon and shipped in S wave Kraft cardboard boxes with double-sided handles.



Organize Sanayi Bölgesi 4. Cad.

No:3/C **KAYSERİ**-TURKEY

info@unimet.com.tr

www.unimet.com.tr